ASSAM AGRICULTURAL UNIVERSITY Khanapara-781022

BIDDING DOCUMENT (Terms and conditions)



DIRECTORATE OF RESEARCH (VETY)
ASSAM AGRICULTURAL UNIVERSITY
Khanapara-781022

DIRECTORATE OF RESEARCH (VETY) ASSAM AGRICULTURAL UNIVERSITY :: KHANAPARA-781022

No.: 99/DRV/360/NIQ/2023-24/**316** Dated:**28.04.2023**

NOTICE INVITING QUOTATION

Sealed quotations are invited under Double Bid System (Technical and Financial Bid) from reputed manufactures/ authorized dealers/ suppliers for supplying of PCR- Thermal Cycler for the NLM funded research project "Epidemiological survey on haemoprotozoan parasites and *Mycoplasma suis* in pigs of Lakhimpur and Dhemaji district of Assam", Lakhimpur College of Veterinary Science, AAU, North Lakhimpur.

The Tender documents may be obtained from the office of the Associate Dean, Lakhimpur College of Veterinary Sciecne, AAU, Joyhing, North Lakhimpur personally on payment of Tender fee of Rs 300/- (Rupees Three Hundred) only in the form of IPO/Demand Draft to be drawn in favour of DIRECTOR OF RESEARCH (VETY), AAU, KHANAPARA payable at SBI, Khanapara Branch. The Tender Documents may also be downloaded from the website www.aau.ac.in and www.aau.ac.in and www.aau.ac.in and www.aau.ac.in and www.aau.ac.in and www.www.aau.ac.in and www.www.aau.ac.in and www.www.aau.ac.in and wwww.www.aau.ac.in and <a href="www

Sd/-Director of Research (Vety) Assam Agricultural University Khanapara, Guwahati-781022

Memo No.: 99/DRV/360/NIQ/2023-24/317-320 Dated: 28.04.2023

Copy for information and necessary action to

- 1. The Comptroller, Assam Agricultural University, Jorhat-13
- 2. The Associate Dean, Lakhimpur College of Veterinary Science, AAU, Joyhing, North Lakhimpur
- 3. The Professor in Charge, AKMIT Cell, AAU, Jorhat/Khanapara. He is requested to upload the NIQ in the website.
- 4. The PI, "Epidemiological survey on haemoprotozoan parasites and *Mycoplasma suis* in pigs of Lakhimpur and Dhemaji district of Assam", Lakhimpur College of Veterinary Science, AAU, Joyhing, North Lakhimpur.
- 5. The Advertisement manager, The Assam Tribune Pvt. Ltd./Niyomiya Barta with a request to publish the above Advertisement in one issue of your paper and submit the bill in favour of Associate Dean, Lakhimpur College of Veterinary Science, AAU, Joyhing, North Lakhimpur with copy of the Advertisement for payment.

6. Office Copy

Director of Research (Vety) Assam Agricultural University Khanapara, Guwahati-781022

TERMS AND CONDITIONS

- 1. The item is specifically meant for Installation and Commissioning at Lakhimpur College of Veterinary Science, Assam Agricultural University, Joyhing, North Lakhimpur
- 2. The quotation fees of Rs.300/- (Rupees Three hundred only) in favor of DIRECTOR OF RESEARCH VETY is not refundable. Those who will submit the quotation by downloading the tender documents, they must have to submit the quotation fee in the form of Demand Draft along with the quotation without which quotation will be rejected.
- 3. The bidder shall enclose the earnest money 4% for items of Rs. 10,00,001 and above, 3% for items of Rs. 5,00,001 to Rs. 10,00,000 and 2% for items of upto Rs. 5,00,000 of the quoted price in the shape of DD drawn in favor of the DIRECTOR OF RESEARCH VETY, payable at SBI, Khanapara Branch. The bids that are not accompanied by the aforesaid bid security will not be accepted. The details of bid security must be provided. The bid security of the unsuccessful bidders will be released after issuing supply to the successful bidder and the bid security of the successful bidder will be released after execution of the order.
- 4. The bidder should provide EMD against the item in a seal envelop. The quotation shall be sealed and super scribed at the top of sealed cover "Quotation for Lab equipment invited vide memo no. No. 99/DRV/360/NIQ/2023-24/316 Dated:28/04/2023
- 5. Quoted price: To facilitate format evaluation, the bidder shall quote the price of items separately along with relevant papers for supporting the quoted price such as catalogue, dealership certificate and Co's printed price list, user list etc. failing which the bid shall be treated as non-responsive at the discretion of the purchaser.
- 6. The bid submitted to the bidder shall remain valid for a period of 90(ninety) days. Bid not conforming to this provision shall be treated as non-responsive.
- 7. To facilitate prompt evaluation, the bidder must positively submit **Double Bid (Technical and financial bid separately)** for the item for verification and evaluation. If the bidder fails to qualify the technical part, the bid would automatically get cancelled for the same prior to opening of the financial
- 8. bid.
- 9. Quotation must also be submitted in a <u>soft copy in CD (to support in Microsoft words only)</u> in the following format failing which the bid treated as non-responsive, at the discretions of the purchaser. In case of any optional items, pictures should be shown separately. Any discrepancies in the soft copy will be the responsibility of the bidder.

Format

Name of Item Brief Specification	Unit Price	GST/Freight Charge if any (FOR Destination)	Total
----------------------------------	------------	---	-------

- 10. The rate shall be quoted for all duties, taxes and other levies payable by the bidder shall be included in the item rate. GST should be quoted separately (GST No. must be furnished)
- 11. There should not be any overwriting. Corrections, if any, should be made with dated initial of bidder. Bidder shall submit quotation separately in each item.
- 12. Rates should be quoted clearly both in words and figures separately for each item without which the quotation shall stand rejected.
- 13. The price quoted shall be fixed and not subject to adjustment/variation during the performance of the contract.
- 14. The warranty of the items shall be as per the prevailing warranty policy/certificate of manufacturer (where necessary) for the items and warranty period shall not be less than 6 (six) months from the date of commissioning of items at site.
- 15. The bidder shall furnish the warranty for all the items at the time of delivery and commissioning. The purchaser shall reject the items not enclosed by warranty certificate from their manufacturer. The warranty certificate should be duly signed and sealed.
- 16. Bidders must supply the items at their own cost. All machineries/equipments/kits are to be supplied FOR destination. Delivery of goods shall have to be completed within 30 (thirty) days from the date of issuing supply order.
- 17. Installation and commissioning charges, if any, inclusive of expenses of foundation work etc. are to be mentioned separately against each machine. In case of no mention, the same will be considered as inclusive of installation cost whenever applicable.
- 18. The machineries are to be supplied ready to operate, complete with motor, starter and any necessary gadgets including catalogues, troubleshooting manual etc. without which the same will be considered as incomplete supply.
- 19. List of spare parts with current price to be required during operation of the machines and addresses of the source of spare parts availability including contact no., e-mail etc. are to be

- provided in a separate sheet.
- 20. Price of one set of critical wearable spares that would hamper the working of the machineries/equipments should be mentioned separately against each machine.
- 21. The supplier shall provide free maintenance services during the period of warranty. Any repair and maintenance including providing of spare parts (covered by manufacturer's warranty certificate) during the warranty period shall be bidder's responsibility.
- 22. Detailed specification with make, model, size, and code no., catalogue, and name of manufacturer should be furnished. ISO certificate must be furnished for the offer make where applicable.
- 23. Copies of S.S.I registration or such documents may be produced with quotation.
- 24. Attested copies of dealership certificate and Co's printed price list must be enclosed with the quotation.
- 25. Up-to-date sale Tax clearance certificate and Income Tax return of last three years duly attested must be submitted along with the quotation. PAN No. must be furnished.
- 26. All payment shall be made preferably in Indian Rupees only.
- 27. Where ever the laws and regulations require, deduction of taxes at source of payment, the purchaser shall effect such deduction from the payment due the supplier, the remittance of amounts so deducted and insurance certificate for such deduction shall be made by the purchaser as per the laws and regulation in force.
- 28. Every page of the bidding documents purchased from the purchaser are to be signed by the bidder including their acceptance of terms and conditions and returned with their quotation.
- 29. The undersigned reserves the right to accept or reject any quotation and to cancel the instant bidding process and reject all quotation at any time prior to award of contact, without thereby incurring any obligation to the affected bidders of grounds for the purchaser action.

30. The bidder must mention their bank details along with the quotation.

Director of Research (Vety) Assam Agricultural University Khanapara, Guwahati-781022

ANNEXURE –I Format for EMD Details

SI. No	SI. No of the item (as per bid document)	Name of the item quoted	Basic price of the item (excluding taxes and transportation charges)	Price in Indian rupee (for imported items at the prevailing rate of exchange)	Amount of EMD (4% for items of Rs. 10,00,001 and above, 3% for items of Rs. 5,00,001 to Rs. 10,00,000 and 2% for items of uptoRs. 5,00,000)	Details of EMD submitted including amount and validity

Annexure-II FORMAT FOR COMPLIANCE STATEMENT

SI No	Name of the Item as per Bid Document	Make: Model:	
	ed Specification:		
SI No.	Specification Asked for	Specification offered*	Complied (Yes/No)

^{*}The Specification offered must be verifiable form the data sheet (both softcopy and hardcopy) from the OEM, provided by the vendor as well as the official website of the OEM.

FORMAT FOR QUOTATION (Separate Quotation for individual items to be submitted)

SI. No	Name of the item (s)	Brief Specification	Unit price	% of GST/Freight charge/Installation Charge; <i>if any</i> (FOR Destination)	Total amount

We agree to supply the above items in accordance with the technical specification mentioned. We also confirm that normal commercial warranty / guarantee of shall apply to the offered goods.

Quotationers Name:	Signature		
Date:	Seal		

Epidemiological survey on haemoprotozoan parasites and Mycoplasma suis in pigs of Lakhimpur and Dhemaji district of Assam PCR- Thermal cycler 1	ler		
survey on haemoprotozoan parasites and Mycoplasma suis in pigs of Lakhimpur and Dhemaji district of Assam 1. Gradient thermal cycler with pel cooling system. May be upgradab 2. Sample block should have 96 x 0.2ml well enabled to run fast che 3. Block should have option of dual x 0.2ml and independently control or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high through sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode should and block independent. Reaction module specification: 1. Temperature range should be 0-10			
haemoprotozoan parasites and Mycoplasma suis in pigs of Lakhimpur and Dhemaji district of Assam 1. Gradient thermal cycler with pel cooling system. May be upgradab 2. Sample block should have 96 x 0.2ml well enabled to run fast che 3. Block should have option of dual x 0.2ml and independently control or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high throug sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode shoul and block independent. Reaction module specification: 1. Temperature range should be 0-10			
Mycoplasma suis in pigs of Lakhimpur and Dhemaji district of Assam 2. Sample block should have 96 x 0.2ml well enabled to run fast che 3. Block should have option of dual x 0.2ml and independently control or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high throug sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode shoul and block independent. Reaction module specification: 1. Temperature range should be 0-10	_		
in pigs of Lakhimpur and Dhemaji district of Assam 0.2ml well enabled to run fast che 3. Block should have option of dual x 0.2ml and independently control or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high throug sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode shoul and block independent. Reaction module specification: 1. Temperature range should be 0-10			
Lakhimpur and Dhemaji district of Assam 3. Block should have option of dual x 0.2ml and independently control or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high through sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode should and block independent. Reaction module specification: 1. Temperature range should be 0-10			
Dhemaji district of Assam 3. Block should have option of dual x 0.2ml and independently control or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high through sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode should and block independent. Reaction module specification: 1. Temperature range should be 0-10	•		
or the block should be able to r different annealing temperatures in it has six zones. 4. Function should have high throug sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode shoul and block independent. Reaction module specification: 1. Temperature range should be 0-10			
different annealing temperatures in it has six zones. 4. Function should have high through sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode should and block independent. Reaction module specification: 1. Temperature range should be 0-10			
it has six zones. 4. Function should have high through sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode should and block independent. Reaction module specification: 1. Temperature range should be 0-10			
4. Function should have high through sample volume. 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode should and block independent. Reaction module specification: 1. Temperature range should be 0-10	i me same run m		
 5. Maximum ramp rate should be average ramp rate of 3.3°C/sec. 6. Temperature control mode shoul and block independent. Reaction module specification: 1. Temperature range should be 0-10 	gh put with low		
average ramp rate of 3.3°C/sec. 6. Temperature control mode shoul and block independent. Reaction module specification: 1. Temperature range should be 0-10	5-6°C/sec and		
and block independent. Reaction module specification: 1. Temperature range should be 0-10	5 0 Crsee and		
Reaction module specification: 1. Temperature range should be 0-10	d be calculated		
1. Temperature range should be 0-10			
	Reaction module specification:		
\sim 2. Temperature accuracy of $\pm 0.2^{\circ}$ C			
	of programmed		
target 0-99.0°C.	2 2°C/saa		
3. Average temperature rate should be 4. Temperature uniformity should			
5.0°C well to well within 10-20			
90°C and have six thermo electric			
5. Should have gradient range of 30-			
dynamic ramping for gradient.			
6. Temperature differential range sho	ould be 1-24°C.		
7. Memory should be 800-1000 ty onboard, unlimited with USI expansion.			
8. Security features should be pass	sword protected		
folders, optional login and secure	*		
regulated environment.			
9. Instant incubation.			
10. The system may support PCR v	olumes ranging		
from 10-100 μL.	1 50 1		
11. Option of using the instrument th may be upgraded to RT-PCR	rough a PC and		
12. USB peripheral compatibility (mo	ouse. USB flash		
drive, bar code reader) should be a			
13. Input power range should be 400V			
50-60, single phase.			
14. PCR should be licensed. 15. Suitable machine specific Ul	OS should be		
provided.	PS should be		
16. Warranty/Guarantee with free	e spare part		
replacement option for atleast			
required.	<i>J</i> 2322 18		