


**OFFICE OF THE DIRECTORATE OF RESEARCH (VETY)  
ASSAM AGRICULTURAL UNIVERSITY::KHANAPARA :: GUWAHATI-22**

No: 99/DRV/20-21/229/(SP-I)/17(A-1) 3132 Dtd. 13.10.2020

**NOTIFICATION FOR SHORT QUOTATION**

Sealed quotations are invited from reputed manufacturer/ authorized dealer suppliers for supply of **Glass aquariums, Aquarium accessories** and **Hapas** for the Department of Fisheries Resource Management, College of Fisheries, Assam Agricultural University, Raha-782103, Nagaon, Assam under SCoPIF-I. The details of the items / specification and terms and conditions are available in the office of the College of Fisheries, AAU, Raha on payment of Rs.200/ in the form of DD or IPO drawn in favour of the Comptroller, AAU, Jorhat. The quotations will be received up to 15 (FIFTEEN) days after publication of this advertisement.

  
(Niranjan Kalita)  
Director of Research (Vety)  
AAU, Khanapara, Guwahati-22

**Name of the items**

**SCoPIF-I, CFSc, AAU, Raha**

<b>Sl. No.</b>	<b>Name of the Equipments</b>	<b>Specifications</b>
1.	Glass aquariums	<ol style="list-style-type: none"><li>1. Size <b>2.5×1.5×1.0</b> ft.</li><li>2. Thickness of Glass <b>5.0</b> mm</li></ol>
2	Glass aquariums	<ol style="list-style-type: none"><li>1. Size <b>2.0×1.0×1.0</b> ft.</li><li>2. Thickness of Glass <b>4.00</b> mm</li></ol>
3.	Biofilter	<ol style="list-style-type: none"><li>1. The biofilter should be equipped with bacterial media inoculating facility.</li><li>2. Must have sponge and filter medium</li><li>3. Must remove ammonia and other toxic elements</li><li>4. Decompose fish waste.</li></ol>
4	Thermostat	<ol style="list-style-type: none"><li>1. submersible type Automatic aquarium heater</li><li>2. Must be Supplied with strong support clips Features</li><li>3. Must adjust temperature control, ranging from 12°-34°.</li><li>4. Cable length of heater must range between 190-200 cm</li></ol>
5	Air Pump	<ol style="list-style-type: none"><li>1. 200-300W Voltage: 220V-260V Frequency: 50Hz Pressure: &gt; 0.033MP</li><li>2. Air Flow: 0.120-130m<sup>3</sup>/min</li><li>3. Diameter of outlet: Range of 10-12mm</li><li>4. Features: Non-oil lubricated, no pollution to air and noise. Cylinder and piston must be made of strong and durable material.</li></ol>
6	Aquarium Plant (live)	<ol style="list-style-type: none"><li>1. Must be of Moss variety</li><li>2. Must be hardy and handle a pH level between 6 and 8.</li></ol>
7	Aquarium plant (Artificial)	<ol style="list-style-type: none"><li>1. Should be artificial underwater plant and non-toxic</li><li>2. Ceramic Color: Green</li><li>3. Height : 8-10 inch</li></ol>
8.	Hapa	<ol style="list-style-type: none"><li>1. Size-30.0×18.0×3.30 ft. (Rectangular)</li><li>2. Mesh size: 0.01 - 0.55 mm</li><li>3. Net material: Nylon or HDPE</li><li>4. Should have provision of cover with zip</li></ol>

## **GENERAL TERMS AND CONDITIONS:**

1. Any item offered/quoted should conform to the technical specifications desired by the purchaser. Quotations for items beyond the scope of the technical specification asked for shall not be entertained.
2. The compliance statement (technical specification desired and offered) along with separate sheet of Terms & Conditions should invariably accompany the quotation both as 'hard copy' and 'soft copy' in a CD/Pen Drive typed in MS word in A4 size paper in landscape orientation (Font size 12, Times New Roman) in the prescribed format (Annexure-I), without which the quotation shall not be considered.
3. The bidder shall have to deposit Rs. 200.00 in the form of Bank Draft drawn in favour of "Comptroller, AAU, Jorhat" and payable at Jorhat.
4. The tender must be submitted by hand or mailed(Speed post/Courier) within 7 days from the release of advertisement in newspaper or website (whichever is earlier)

## **INSTRUCTION TO BIDDERS**

1. All Quotations should mention in the cover of the Envelope distinctly the Name of the Item, Item No., NIQ Ref. No., Bidder's Name & Address, Contact No. etc. as shown below:-

**QUOTATION FOR SUPPLY OF "-----" FOR THE COLLEGE OF FISHERIES, AAU, RAHA-782103, NAGAON, ASSAM.**

**NIQ REF NO..... DATED..... LAST DATE FOR**

**SUBMISSION. ....,**

**To,**

**The PI  
SCoPIF-I  
Department of Fisheries Resource Management  
College of Fisheries  
Assam Agricultural University  
Raha-782103, Nagaon, Assam  
India**

**From: M/s** \_\_\_\_\_

**Contact No.:** \_\_\_\_\_

**Email ID:** \_\_\_\_\_

**TERMS & CONDITIONS:**

1. An IPO/DD of Rs. 200.00 must be drawn in favour of the comptroller, AAU, Jorhat and the same is to be enclosed along with the quotation.
2. Rates quoted must be on FOR College of Fisheries, AAU, Raha, Nagaon-782013, Assam on DOOR DELIVERY basis.
3. Delivery of the items at College of Fisheries, AAU, Raha, Nagaon will have to be maximum 30 (Thirty) days from the date of issue of the supply order.
4. **Mode of Payment:** After successful delivery of the items, payment will be made through A/C payee cheque.
5. Late and delayed tender will not be considered. In case any unscheduled holiday occurs or prescribed closing, the next working day shall be the prescribed day of closing.
6. No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder. However, the committee/its authorized representatives and office of the DEAN, COLLEGE OF FISHERIES, AAU, RAHA can make an enquiry/seek clarification from the the bidder. In such a situation the firm/supplier shall extend full cooperation.
7. **The acceptance of the quotation** will rest solely with the PRIMARY PURCHASE COMMITTEE (PPC), who in the intrest of the institute is not bound to accept the lowest quotation and reserves the right to reject or partially accept any or all the quotations received without assingning any reasons.
8. The price of the items should be offered in **unit price per number of item.**
9. During the supply, the items should be in good condition and broken or deffected items will not be accepted.

(Niranjan Kalita)  
Director of Research (Vety)  
AAU, Khanapara, Guwahati-22